

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26	odbc same registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:40
L2	5	odbc same hkey	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:40
L3	0	odbc near200 hkey	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:40
L4	0	odbc near500 hkey	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:41
L5	42	odbc and hkey	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:52
L6	4	"full text key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:52
L7	1	"odbc key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:52
L8	0	"open database connectivity key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:52
L9	29	"connectivity information key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:53

L10	14	"connectivity key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:54
L11	2	"6859834".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:55
L12	2	"20010008019"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:55
S1	2	"6230185".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:36
S2	2	"6233600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:05
S3	2	"6314408".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:05
S4	5	"20020002607"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:07
S5	3	"2002016187"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:07
S6	2	"20020161875"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:09
S7	0	"wo 02/48866 A2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:09

S8	0	02/48866	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:09
S9	19	"0248866"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:40
S10	1229	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:40
S11	156	S10 and (failover (fail adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:51
S12	3	eroom and (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:51
S13	91	(S10 and (switchover (switch adj over))) not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:03
S14	0	odbc same registry same (failover switchover (fail adj over) (switch adj over)) same (primary first secondary master slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:44
S15	7	(odbc same registry) and (failover switchover (fail adj over) (switch adj over)) same (primary first secondary master slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:40
S16	12	(odbc and registry) and (failover switchover (fail adj over) (switch adj over)) same (primary first secondary master slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:06
S17	5	S16 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:05

S18	16	(registry adj key) and (failover switchover (fail adj over) (switch adj over)) same (primary first secondary master slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:12
S19	15	S18 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:10
S20	8	S18 and open adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:10
S21	67	(remov\$2 delet\$3) with registry with prevent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:12
S22	2	S21 with (replicat\$3 redundan\$2 mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:11
S23	0	S21 with (copying copies copy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:11
S24	1	S21 and (failover switchover (fail adj over) (switch adj over)) same (primary first secondary master slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:12
S25	3	S21 and (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:13
S26	16	(odbc with password) and (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:14
S27	185	(database with password) and (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:50

S28	0	"windows cluster service" same "registry key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:39
S29	0	"windows cluster service" same (registry adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:39
S30	0	wcs same (registry adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:39
S31	0	wcs same failover and (registry adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:39
S32	0	wcs same failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:39
S33	1976	failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:39
S34	0	"windows cluster" same failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:40
S35	2	"windows cluster" and failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:40
S36	0	"windows cluster service"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:40
S37	4	"windows cluster server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:40

S38	30	("5123017" "5210855" "5261094" "5272584" "5337413" "5379409" "5444856" "5485607" "5491694" "5500945" "5539883" "5564024" "5579491" "5592610" "5604873" "5608876" "5613096" "5644731" "5732247" "5809021" "5889965" "5923854" "5930255" "5987526" "6052733" "6081511" "6105151" "6112249" "6115393" "6134678").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 10:30
S39	21	("6314525").URPN.	USPAT	OR	ON	2005/04/26 10:36
S40	14	((server near1 cluster) (cluster adj service)) same registry	USPAT	OR	ON	2005/04/26 10:36
S41	10	("6360331").URPN.	USPAT	OR	ON	2005/04/26 10:52
S42	10	("6360331").URPN.	USPAT	OR	ON	2005/04/26 10:55
S43	58	("4736393" "5021949" "5027269" "5117352" "5128885" "5165018" "5301337" "5341372" "5398329" "5416777" "5423037" "5434865" "5435003" "5490270" "5491800" "5537532" "5568491" "5666486" "5666538" "5710727" "5715389" "5737601" "5745669" "5754752" "5754877" "5757642" "5768523" "5768524" "5781737" "5787247" "5794253" "5805839" "5806075" "5812779" "5815649" "5819019" "5822532" "5832514" "5852724" "5857073" "5867714" "5919247" "5933422" "5935230" "5940870" "5946689" "5963960" "5968121" "5968140" "5982747" "5991771" "5991893" "6003075" "6044367" "6047323" "6134673" "6173420" "6195760").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 10:55
S44	0	("6859834").URPN.	USPAT	OR	ON	2005/04/26 13:27

S45	8	("5727002" "5768528" "5828847" "5881269" "6163855" "6272537" "6427161" "6615258").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 13:42
S46	0	((delet\$3 remov\$2) near3 registry) with (failover switchover failback switchback (fail adj (back over)) (switch adj (back over)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 13:44
S47	0	((delet\$3 remov\$2) with registry) with (failover switchover failback switchback (fail adj (back over)) (switch adj (back over)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 13:48
S48	3	((delet\$3 remov\$2 eras\$3) near3 registry) with (mirror\$3 replica\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 13:44
S49	21	((delet\$3 remov\$2 eras\$3) near3 registry) with (mirror\$3 replica\$4 cop\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 14:05
S50	37	((delet\$3 remov\$2 eras\$3) near3 registry) and (failover switchover failback switchback (fail adj (back over)) (switch adj (back over)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 13:48
S51	72	((delet\$3 remov\$2 eras\$3) near3 registry) same (mirror\$3 replica\$4 cop\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 14:06
S52	51	S51 not S49	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 14:06
S53	0	("6779093").URPN.	USPAT	OR	ON	2005/04/26 14:18
S54	7	("20020029281" "20030041074" "20030217119" "5155845" "5440727" "5737601" "5974563").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 14:18
S55	2	"6779093".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:40
S56	50073	prevent with (failover switchover (fail adj over) (switch adj over) replicat\$3 redundan\$2 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:41
S57	8508	prevent with (failover switchover (fail adj over) (switch adj over) replicat\$3 redundan\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:41

S58	906	prevent with (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:41
S59	878	S56 and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:42
S60	46	S56 with registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:42
S61	73	S56 same registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:39

19 714/6 .cc's.
and registry

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	reset adj password with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:32
L2	1	(reset adj password with odbc) same (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:46
L3	1	(reset adj password with database) same (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:18
L4	0	(reset adj password with database) and (failover switchover (fail adj over) (switch adj over)) not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:18
L5	1	(reset adj password with odbc) with (fault fail error crash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:34
L6	0	(reset adj password with database) with (fault fail error crash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:34
L7	4	(reset adj password with database) and (fault fail error crash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:34
L8	3621	(password with (database odbc)) and (fault fail error crash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:34
L9	191	(password with (database odbc)) and (failover switchover (fail adj over) (switch adj over)) not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:35

L10	2	(password with (database odbc)) same (failover switchover (fail adj over) (switch adj over)) not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:35
L11	16	(password with (odbc)) and (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:36
L12	9	password with (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:38
L13	38	password same (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:38
L14	29	13 not 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:45
L15	167	password with (remov\$3 reset\$4 delet\$3) with (odbc database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:51
L16	38181	(failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:46
L17	6	15 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:46
L18	2	15 same 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:46
L19	14	password with (remov\$3 reset\$4 delet\$3) and (odbc database) and "714".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:20

L20	22	password with (remov\$3 reset\$4 delet\$3) and "714".clas. not 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:53
L21	0	"windows 2000 server" with (failback switchback ((fail switch) adj back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:57
L22	297	(server node) with (failback switchback ((fail switch) adj back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:57
L23	0	22 same odbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:57
L24	21	22 same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:57
L25	8	22 same windows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:57
L26	1	(reset adj password) same (failover switchover (fail adj over) (switch adj over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:18
L27	16	(reset adj password and database) and (failover switchover (fail adj over) (switch adj over)) not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:19
L28	191	(password with (odbc database)) and (failover switchover (fail adj over) (switch adj over)) not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:20
L29	1	(reset adj password) with odbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:20

L30	1	password with (remov\$3 reset\$4 delet\$3) with (odbc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:20
L31	1	password with (remov\$3 reset\$4 delet\$3) same (odbc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:21
L32	305	password with (remov\$3 reset\$4 delet\$3) same (database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:21
L33	167	password with (remov\$3 reset\$4 delet\$3) with (database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:21
L34	66	714/4.ccls. and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:21